



2025 Catalogue


Europe Edition



*Built with advanced technologies and the
finest quality, DARE Bikes promises you
a fearless ride.*

#DAREBikes
#RealPassion
#RealRide


CONTENT



PA-AEO

ALL-ROUND


| | |
|----|-----------------------|
| 04 | Features |
| 12 | Complete bike |
| 20 | Geometry |
| | |
| 76 | Index: Complete bikes |
| 78 | Index: Geometry |



VA-AEO

AERODYNAMICS

| | |
|----|---------------|
| 22 | Features |
| 30 | Complete bike |
| 34 | Geometry |



MA-AEO

CLIMBING

| | |
|----|---------------|
| 36 | Features |
| 40 | Complete bike |
| 44 | Geometry |



GA

GRAVEL

| | |
|----|---------------|
| 46 | Features |
| 54 | Complete bike |
| 62 | Geometry |



MA

RACE DISC

| | |
|----|---------------|
| 64 | Features |
| 68 | Complete bike |
| 72 | Geometry |

ABOUT DARE



A Real Ride Has No Limits.

DARE isn't just another cycling brand—we're driven by passion to create meticulously crafted products that deliver personalized riding experiences.

We innovate with cutting-edge carbon fiber materials, frame designs, and paint techniques. We craft high-quality products at

accessible prices and offer customizable paint colors to reflect personal style. By breaking traditions, we introduce unique brand events and concepts.

As we explore all things cycling, we embrace the challenges of the sport. With DARE, let us handle the bike while you listen to your heartbeat and take in the ride. Be daring!





DARE BIKES

P

PRESTIGE ACE

The latest all-round bike:
PA-AF0

**All in One,
Be the ONE.**





A Perfection Blend of Weight and Aerodynamics

Backed by a wealth of experience from building the MA-AFO and VA-AFO, we applied the newest gen carbon fiber technology and cutting-edge CFD simulations to the unibody design of PA-AFO, resulting in a lightweight and aerodynamic all-round machine.






PA-AFO Made Its Debut in the Ultimate Proving Ground

In its very first WorldTour battle, it conquered two of the 2024 Tour de France's most legendary climbs: the Col du Galibier and Col du Tourmalet.



Aero-S Aerodynamics Research from Switzerland

DARE's designers headed to an aerodynamics research center in Switzerland to run a multitude of CFD simulations on various iterations of the PA-AFO, using the big data produced to refine its shape. Now PA-AFO excels previous generation VSRu by 0.2W and only lags behind our aero bike VA-AFO by an 8.4W difference, which would place it at 208W on Germany's Tour magazine aero test! We're so proud to achieve these amazing stats on an all-round bike!



OPM Monocoque Frame



We use monocoque manufacturing technology that allows smooth transitions between each layer and extension of carbon fiber, decreasing the risk of any wrinkles that could lead to stress points on the frame. Unibody tech also optimizes the overall strength to weight ratio and improves shock absorption in the chain stays and seat stays, qualities essential for comfortable long-distance riding.



DGTM Exclusive Impact-Resistant Graphene + Toray Certified T1100g/M46x Carbon Fiber

DARE's AFO-level frames utilize only the most cutting-edge materials and processes to reach new heights of weight and strength. AFO-exclusive DGTM carbon fiber is specially formulated for impact resistance, adding another layer of safety to the frame.

It's paired with TORAY-certified T1100G high-strength and M46X high-modulus carbon fiber, both TORAY's newest generation products with selective distribution.

T1100G imparts excellent strength to support explosive power, and M46X provides outstanding rigidity for optimal pedaling efficiency, so no matter the type of race or challenge you'll have the world's best materials backing you up!



SLT CeramicSpeed

To provide stable maneuverability throughout an extended ride, we've chosen to equip VA-AFO with CeramicSpeed's SLT head-set bearings, which use solid, oil-encapsulated casings that are self-lubricated and fully sealed, so you won't need to worry about water or dirt affecting their condition.



PA-AFO R8



PA-AFO R8

New SRAM Force

| | |
|-------------------|--|
| Color | Ore Black |
| Frameset | DARE PA-AFO DGTm + Torayca® T1100G/M46X carbon frameset |
| Size | 2XS / XS / S / M / L / XL |
| Cockpit | DARE AERO1v Torayca® carbon integrated aerobar |
| Drivetrain | SRAM Force AXS E1 |
| Wheelset | DT Swiss ARC 1400 DICUT® DB 55 & Continental Grand Prix 5000s 28-622 |
| Saddle | Prologo NAGO R4 PAS Tirox rail |
| Weight | 7.5kg (size M, included computer mount & bottle cage) |




Scan the
QR code to
learn more.



All-New SRAM Force

Outfitted with the all-new SRAM Force AXS wireless groupset—sleek, lightweight, and race-ready. Seamless shifting meets sharp braking, perfectly matched with the bold R8 design for elite-level performance.

What's more, equipped with the sleek Quarq E1 crank-based power meter, the new Force offers a clean integration and precise data tracking to record your performance on every ride.



COMPLETE BIKE | PA-AFO



Exclusive Aerodynamic Bottle Cage

An ultra-light aerodynamic bottle cage designed to fit perfectly with PA-AFO's meticulously calculated tube profiles, reducing drag by an additional 0.6W during riding.



DT Swiss ARC 1400 55

The all-new DT SWISS ARC series for 2025 features a wider internal rim width, delivering enhanced aerodynamics and riding comfort across the board.



PA-AFO S8



PA-AFO S8

| | |
|-------------------|--|
| Color | Arctic White |
| Frameset | DARE PA-AFO DGTM + Torayca® T1100G/M46X carbon frameset |
| Size | 2XS / XS / S / M / L / XL |
| Cockpit | DARE AERO1v Torayca® carbon integrated aerobar |
| Drivetrain | Shimano Ultegra Di2 R8170 |
| Wheelset | DT Swiss ARC 1400 DICUT® DB 55 & Continental Grand Prix 5000s 28-622 |
| Saddle | Prologo NAGO R4 PAS Tirox rail |
| Weight | 7.6kg (size M, included computer mount & bottle cage) |



Scan the
QR code to
learn more.




M:P1 Carbon Micro-Adjust Seatpost 2

M:P1 seatpost was designed just for PA-AF0, with contours to match the frame's excellent aerodynamic performance. Made from specially layered carbon fiber for comfort, and paired with micro-adjust lightweight carbon wedges, M:P1 perfectly balances weight, comfort, and aerodynamics.



4iiii Power Meter


Fitted with the 4iiii Precision 3+ power meter, which weighs just 9g and offers high accuracy and durability for precise power tracking on climbs, increasing riding efficiency.



DT Swiss ARC 1400 55

The all-new DT SWISS ARC series for 2025 features a wider internal rim width, delivering enhanced aerodynamics and riding comfort across the board.

GEOMETRY



| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|--------|-------|------|-------|-------|-------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST length | 390 | 420 | 450 | 480 | 507 | 540 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 987 | 997 |
| F HT angle | 70.25° | 71.2° | 72° | 73° | 73° | 73.5° |
| G ST angle | 74.5° | 74° | 74° | 73.5° | 73.5° | 73° |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 539 | 560 | 583 |
| K Standover | 691 | 720 | 741 | 772 | 795 | 815 |
| L Fork length | 375 | 375 | 375 | 375 | 375 | 375 |





DARE BIKES



VELOCITY ACE



***Born for Speed,
Sprint Like Never Before!***



DARE x Uno-X


Velocity Ace is the weapon of choice for DARE and Uno-X in the Tour de France, cycling's most revered competition. In our seven years of collaboration, we've made the ranks of the WorldTour and even secured third place for the queen stage through the Alps during 2023's Tour de France!



Forward, Further, Faster

DGTM
T1100G | M46X | M46X
TORAYCA

DARE's competitive aerobike Velocity Ace-AFO (VA-AFO) has sped onto the scene! In preparation to chase victory at this year's Tour de France, we've worked every detail through highly sophisticated wind resistance technology and utilized cutting edge Torayca® carbon fiber T1100G and M46X authorized by renowned Japanese company Toray. If you're in the pursuit of excellence, we invite you to experience a brand new benchmark in speed on DARE's VA-AFO, sprint like never before!





King of the Mountains




In the 2024 Tour de France, DARE proudly witnessed our partnership with Uno-X Mobility flourish as Jonas Abrahamson wore the prestigious Polka Dot Jersey, signifying the King of the Mountains, for the first ten stages, marking a significant achievement.



TOUR DE FRANCE

VA-AFO S8



VA-AFO S8

| | |
|-------------------|--|
| Color | Swift White |
| Frameset | DARE VA-AFO DGTM + Torayca® T1100G/M46X carbon frameset CeramicSpeed SLT headset bearings |
| Size | 2XS / XS / S / M / L / XL |
| Cockpit | DARE V:C1 Torayca® carbon integrated aerobar |
| Drivetrain | Shimano Ultegra Di2 R8170 |
| Wheelset | Shimano Ultegra C60 R8170 12/142 mm & Continental 28-700 Grand Prix 5000 Timetrial TR |
| Saddle | Selle Italia SLR BOOST EVO |
| Weight | 7.8kg (size M, included computer mount) |



Scan the
QR code to
learn more.





Ceramicspeed SLT

Featuring Ceramicspeed SLT bearings, delivering remarkably low friction and high durability, enabling you to pedal onward with no hesitation!



4iiii Power Meter

Fitted with the 4iiii Precision 3+ power meter, which weighs just 9g and offers high accuracy and durability for precise power tracking on climbs, increasing riding efficiency.



A New Benchmark in Speed


Certified by Germany's GST aero lab as the lowest-drag bike of the 2024 season. Equipped with the integrated V:C1 aero handlebar, V:B1 aero bottle, and V:P1 carbon aero seatpost for optimal aerodynamic performance. Designed to maximize speed in sprints and long-distance races!



DGTM+TORAYCA New Gen Torayca Carbon Fiber

Built with Japan Toray's third-generation aerospace-grade T1100G and M46X carbon, delivering exceptional stiffness and safety, while being 100g lighter than the previous VSRu model. Built with Japanese company Toray's third-generation aerospace-grade T1100G and M46X carbon, delivering exceptional stiffness and safety, while being 100g lighter than the previous VSRu model.

GEOMETRY



| | Frame size | 2XS | XS | S | M | L | XL |
|---|--------------|-----|------|-----|------|------|------|
| | Height (cm) | 158 | 164 | 170 | 175 | 182 | 186 |
| | | 168 | 174 | 180 | 185 | 192 | 200 |
| A | ST Length | 480 | 500 | 520 | 540 | 560 | 580 |
| B | Effective TT | 507 | 519 | 544 | 562 | 580 | 598 |
| C | HT length | 77 | 96 | 117 | 138 | 161 | 181 |
| D | RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E | Wheelbase | 967 | 982 | 997 | 1015 | 1030 | 1048 |
| F | HT angle | 71 | 71.5 | 72 | 72 | 72.5 | 72.5 |
| G | ST angle | 74 | 74 | 74 | 74 | 74 | 74 |
| H | BB drop | 75 | 75 | 73 | 73 | 70 | 70 |
| I | Reach | 372 | 383 | 395 | 407 | 419 | 431 |
| J | Stack | 480 | 500 | 520 | 541 | 561 | 580 |
| K | Standover | 730 | 749 | 770 | 790 | 812 | 831 |
| L | Fork Length | 369 | 369 | 369 | 369 | 369 | 369 |

GEOMETRY | VA-AFO





M
MOUNTAIN ACE

*Carrying an
Uncompromising Spirit of
Craftsmanship!*



Avid, Agile, Ace

The all-around disc bike in the AFO series: Mountain Ace, MA-AFO. The Mountain Ace (MA) is DARE's newest ultra-lightweight competitive road bike, a revolutionary ride to reign over mountain roads and races.



Torayca®

With long-term collaboration and direct authorization from Japan's Toray, the MA-AFO uses T1100G and M46X carbon fibers, delivering a lighter and stronger ultimate performance.

+15.2%

Zedler frame stiffness testing:
112Nm/° vs 95Nm/° (MA-AFO vs MR1sDB)

+17.3%

Zedler KOM testing:
185N/mm vs 217N/mm (MA-AFO vs MR1sDB)

+36.2%

Zedler fork stiffness testing:
68Nm/° vs 50Nm/° (MA-AFO vs MR1sDB)


-111g / -10g

Frame weight / Fork weight
(MA-AFO vs MR1sDB)




More Linear Geometry

Based on feedback from the previous MR1sDB and from professional teams, the new MA is adjusted for more linear sizing, and maintain the same reach with a lower stack for better ergonomics. With this configuration, more power output and stability is possible while climbing, as well as improved aero performance when returning to a level road.



MA-AFO S8



MA-AFO S8

| | |
|-------------------|--|
| Color | Grit Black |
| Frameset | DARE MA-AFO DGTM + Torayca® T1100G/M46X carbon frameset |
| Size | 2XS / XS / S / M / L / XL |
| Cockpit | DARE AERO1v Torayca® carbon integrated aerobar |
| Drivetrain | Shimano Ultegra Di2 R8170 |
| Wheelset | Shimano Ultegra C36 R8170 & Continental Grand Prix 5000s 28-622 |
| Saddle | Selle Italia NOVUS BOOST EVO SuperFlow |
| Weight | 7.4kg (size M, included computer mount) |



Scan the
QR code to
learn more.



New Full Carbon AERO1v Handlebar & M:P2 Seatpost

Equipped with the brand-new AERO1v carbon fiber integrated handlebar and the M:P2 full carbon fiber seat post, it offers an unparalleled riding experience with extreme lightness, aerodynamic performance, and comfort.

AERO1v Integrated Aero

AERO1v combines the best of aerodynamics and ergonomics. Its design is slightly V-shaped, angling forwards by 5° to accommodate a natural and more comfortable arm position.



Computer Mount
Included

Reach: 80mm | Drop: 134mm
Weight: 350±10g (105-400mm)
Size: 360 · 380 · 400 · 420mm



4iiii Power Meter


Fitted with the 4iiii Precision 3+ power meter, which weighs just 9g and offers high accuracy and durability for precise power tracking on climbs, increasing riding efficiency.



DARE Graphene Tensile Modulus Prepreg

We fused the revolutionary material graphene with special epoxy resin in UHM prepreg, and successfully created DGTM prepreg that is stiffer with increased impact resistance.

GEOMETRY



| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|-------|-------|------|------|------|------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST Length | 390 | 430 | 450 | 490 | 510 | 530 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 989 | 999 |
| F HT angle | 70.25 | 71.25 | 72 | 73 | 73 | 73.5 |
| G ST angle | 74.5 | 74 | 74 | 73.5 | 73.5 | 73 |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 534 | 560 | 583 |
| K Standover | 691 | 719 | 741 | 772 | 794 | 814 |
| L Fork Length | 375 | 375 | 375 | 375 | 375 | 375 |





*One Bike, One Life,
Infinite Adventures!*



A New All-Terrain Experience


Is the straight and smooth asphalt becoming a bit stale? Other terrains are out there waiting for you to explore! The Gravel Ace's specially designed geometry and 50C tires make for a comfortable ride even over bumpy trails, and its 24° flared handlebars are a breeze to maneuver.

Let the GA's perfect balance of stiffness and agility persuade you to take the roads less traveled.



All-Terrain Geometry

Our meticulously calculated design for the GA aims to combine competition and adventure. Compared to the GFX, it has a similar stack with a longer reach for added aggression, yet maintains a more relaxed position than most brands. The adjustable stem allows for customizable reach. The GA's wider wheelbase enhances off-road performance and stability. We offer sizes starting at 156 cm, with geometry scaled linearly.



Di2-Integrated Toolbag

GA is equipped with an extra large toolbag that can hold two inner tubes along with other supplies, and cleverly includes a dedicated slot for a Di2 battery as well.

As gravel cycling trends towards wider tires such as the 50C, an increasingly robust supply kit is also recommended to have on hand. That's why we've designed this extra-large (Ø5x38cm) bag to accommodate all your supplies plus a Di2 battery, all neatly stored on the down tube.



SRAM UDH Hanger

GA is formulated to fit the MTB derailleur hanger standard UDH, which can be directly installed with SRAM's GX series, offering better shifting performance and protecting your derailleur in the event of impact.



Off-Road Mudguards

Wet terrain and rainy weather can't stop the GA with its specially designed front and rear mudguards.



50C Tires

GA can be equipped with up to 50C wide tires.





G:H1 Lightweight

Built with MS-HMC carbon fibers an internal cable hole, G:H1 has a 24° flare, and increased 5° backsweep and 6° outswEEP, providing better grip and maneuverability.


Reach: 76mm | Drop: 100mm | Weight: 225±10g (400mm)
Size: 400/420/440/460mm



New Flared Handlebars: G:H1 & G:C1

We've designed two new handlebars just for the Gravel Ace, the lightweight G:H1 and integrated G:C1. Both have a 24° flare, and increased 5° backsweep and 6° outswEEP, providing better grip and maneuverability.

We've also added a 46cm size option, a width that gives even more control over off-road terrain.



Computer Mount
Included

G:C1 Integrated

G:C1 has a 24° flare, and increased 5° backsweep and 6° outswEEP, providing better grip and maneuverability.

Reach: 76mm | Drop: 100mm | Weight: 350±10g (400-105mm)
Size: 80x400 / 90x400 / 90x420 / 90x440 / 90x460 / 105x400 /
105x420 / 105x440 / 105x460 mm

GA R8



GA R8

| | |
|-------------------|--|
| Color | Fjord Green |
| Frameset | DARE GA Torayca® carbon frameset |
| Size | XS / S / M / L / XL / 2XL |
| Cockpit | DARE G:C1 Torayca® carbon integrated aerobar |
| Drivetrain | SRAM Rival + GX RD 1x12s |
| Wheelset | DT Swiss G 1800 SPLINE DB 25 & Continental Terra Trail ProTction 40C |
| Saddle | Selle Italia NOVUS BOOST EVO X-Cross Superflow ● |
| Weight | 9.3kg (size M, included computer mount) |



Scan the
QR code to
learn more.



G:C1 Integrated Flared Handlebar

Fitted with the top-tier G:C1 carbon fiber flared integrated handlebar and carbon fiber seat post for premium lightweight performance and superior handling comfort.



Gravel Cliff

Built with SRAM Rival+GX 1x12-speed, emphasizing simplicity, durability, and lightness. Perfect for challenging terrain on high-intensity rides.



Special Kit Included

It also features the largest tool pack in the industry, so you can easily carry everything needed for your adventure. The custom mud-guard and integrated computer mount/light holder make off-road rides uniquely stylish!



GA S8



GA S8

| | |
|-------------------|--|
| Color | Barley White |
| Frameset | DARE GA Torayca® carbon frameset |
| Size | XS / S / M / L / XL / 2XL |
| Cockpit | DARE G:C1 Torayca® carbon integrated aerobar |
| Drivetrain | Shimano GRX 1x12s |
| Wheelset | DT Swiss G 1800 SPLINE DB 25 & Continental Terra Trail ProTction 40C |
| Saddle | Selle Italia NOVUS BOOST EVO X-Cross Superflow ● |
| Weight | 9.5kg (size M, included computer mount) |



Scan the
QR code to
learn more.



Intergrade Handlebar G:C1

Fitted with the top-tier G:C1 carbon fiber flared integrated handlebar and carbon fiber seat post for premium lightweight performance and superior handling comfort.

Gravel Path


Built with Shimano GRX for versatile riding and off-road adventures, GA focuses on terrain adaptability and shifting stability. Prioritizing comfort and control, it's the ideal choice for forest trails and long-distance explorations.



Special Kit Included

It also features the largest tool pack in the industry, so you can easily carry everything needed for your adventure. The custom mudguard and integrated computer mount/light holder make off-road rides uniquely stylish!

GEOMETRY



| Frame size | XS | S | M | L | XL | 2XL |
|-----------------------|------|------|------|------|------|------|
| Height (cm) | 155 | 164 | 170 | 175 | 179 | 183 |
| | 167 | 174 | 180 | 185 | 191 | 195 |
| A ST length | 410 | 430 | 460 | 480 | 520 | 540 |
| B Effective TT | 508 | 522 | 536 | 551 | 567 | 582 |
| C HT length | 90 | 105 | 120 | 145 | 170 | 195 |
| D RC length | 425 | 425 | 425 | 425 | 425 | 425 |
| E Wheelbase | 1001 | 1003 | 1004 | 1020 | 1032 | 1048 |
| F HT angle | 69 | 70.5 | 72 | 72 | 72.5 | 72.5 |
| G ST angle | 74 | 74 | 74 | 74 | 74 | 74 |
| H BB drop | 75 | 75 | 75 | 73 | 73 | 73 |
| I Reach | 360 | 369 | 377 | 386 | 394 | 403 |
| J Stack | 515 | 534 | 520 | 541 | 561 | 625 |
| K Standover | 713 | 732 | 764 | 779 | 815 | 835 |
| L Fork length | 400 | 400 | 400 | 400 | 400 | 400 |



GEOMETRY | 6A



***Mountain Ace:
Momentum, Mastery, and Might***



Fast, and then Faster

Mountain Ace (MA) is DARE's all-round disc brake bike, a machine of precisely calculated tube shape for even higher power output, designed to conquer the slopes. Whether you're racing or training, count on the MA to provide an impeccable performance.



Total Synchro Integrated Cabl

TSIC is an integrated internal routing system that conceals the derailleur cable and brake within the frame completely. In addition to perfect compact profile, turbulent flow and interference from cables for time trials are both configured to minimize air resistance.



30C Tire Clearance

Because of the growing popularity of wider tire widths, the MA's front fork gives more tire clearance that can accommodate up to 30C tires. The seat tube angle is adjusted to help pump out power evenly from a rider's leg muscles, increasing comfort and endurance.



MA S7



MA S7

| | |
|-------------------|---|
| Color | Prussian Blue |
| Frameset | DARE MA MS-HMC carbon frameset |
| Size | 2XS / XS / S M / L / XL |
| Cockpit | DARE REMO carbon handlebar & Token alloy stem |
| Drivetrain | Shimano 105 Di2 R7170 |
| Wheelset | DT Swiss P 1800 SPLINE DB 23 & Continental Grand Sport Race 28" |
| Saddle | Selle Italia NOVUS BOOST EVO Superflow |
| Weight | 8.4kg (size M) |



Scan the
QR code to
learn more.



Entry Level Price, High Level Specs

A premium entry-level setup featuring the high-end REMO carbon handlebar, carbon seatpost, and the latest Shimano 105 electronic shifting system for a near high-end riding experience from the start.

Two Colors Fork Sets


Different color schemes for the front fork are applied to small (XXS-S) and large (M-XL) frame sizes, adding vibrancy and character.

● Size XXS-S is assembled with the peach red & yellow carbon fork.



● Size M-XL is assembled with the yellow & dark gray carbon fork.

GEOMETRY



| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|-------|-------|------|------|------|------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST Length | 390 | 430 | 450 | 490 | 510 | 530 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 989 | 999 |
| F HT angle | 70.25 | 71.25 | 72 | 73 | 73 | 73.5 |
| G ST angle | 74.5 | 74 | 74 | 73.5 | 73.5 | 73 |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 534 | 560 | 583 |
| K Standover | 691 | 719 | 741 | 772 | 794 | 814 |
| L Fork Length | 375 | 375 | 375 | 375 | 375 | 375 |





| MODEL | PA-AFO | |
|------------|---|---|
| Spec | R8 | S8 |
| Color | Ore Black | Arctic White |
| Frameset | DARE PA-AFO DGTM + Torayca® T1100G/M46X carbon frameset | |
| Size | 2XS / XS / S / M / L / XL | |
| Drivetrain | SRAM Force AXS E1 | Shimano Ultegra Di2 R8170 |
| Wheelset | DT Swiss ARC 1400 DICUT® DB 55 | |
| Weight | 7.5kg (M) (Included: computer mount & bottle cage) | 7.6kg (M) (Included: computer mount & bottle cage) |

COMPLETE BIKES

COMPLETE BIKES | INDEX




| MODEL | VA-AFO | MA-AFO | GA | | MA |
|------------|---|---|---|---|---|
| Spec | S8 | S8 | R8 | S8 | S7 |
| Color | Swift White | Grit Black | Fjord Green | Barley White | Prussian Blue |
| Frameset | DARE VA-AFO DGTM + Toray® carbon frameset | DARE MA-AFO DGTM + Toray® carbon frameset | DARE GA MS-HMC Toray® carbon frameset | | DARE MA MS-HMC Toray® carbon frameset |
| Size | 2XS / XS / S / M / L / XL | 2XS / XS / S / M / L / XL | XS / S / M / L / XL / 2XL | | <div> <div></div> 2XS / XS / S </div> <div> <div></div> M / L / XL </div> |
| Drivetrain | Shimano Ultegra Di2 R8170 | Shimano Ultegra Di2 R8170 | SRAM Rival eTap AXS | Shimano GRX mech. RX820 | Shimano 105 Di2 R7170 |
| Wheelset | Shimano Ultegra C60 R8170 | Shimano Ultegra C36 R8170 | DT Swiss G 1800 SPLINE DB 25 | | DT Swiss P 1800 SPLINE DB 23 |
| Weight | 7.8kg (M) (Included: computer mount) | 7.4kg (M) (Included: computer mount) | 9.3kg (M) (Included: computer mount & accessories) | 9.5kg (M) (Included: computer mount & accessories) | 8.4kg (M) |



GEOMETRY




PA-AF0




| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|--------|-------|------|-------|-------|-------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST length | 390 | 420 | 450 | 480 | 507 | 540 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 987 | 997 |
| F HT angle | 70.25° | 71.2° | 72° | 73° | 73° | 73.5° |
| G ST angle | 74.5° | 74° | 74° | 73.5° | 73.5° | 73° |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 539 | 560 | 583 |
| K Standover | 691 | 720 | 741 | 772 | 795 | 815 |
| L Fork length | 375 | 375 | 375 | 375 | 375 | 375 |

VA-AFO




| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|-----|------|-----|------|------|------|
| Height (cm) | 158 | 164 | 170 | 175 | 182 | 186 |
| | 168 | 174 | 180 | 185 | 192 | 200 |
| A ST Length | 480 | 500 | 520 | 540 | 560 | 580 |
| B Effective TT | 507 | 519 | 544 | 562 | 580 | 598 |
| C HT length | 77 | 96 | 117 | 138 | 161 | 181 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 967 | 982 | 997 | 1015 | 1030 | 1048 |
| F HT angle | 71 | 71.5 | 72 | 72 | 72.5 | 72.5 |
| G ST angle | 74 | 74 | 74 | 74 | 74 | 74 |
| H BB drop | 75 | 75 | 73 | 73 | 70 | 70 |
| I Reach | 372 | 383 | 395 | 407 | 419 | 431 |
| J Stack | 480 | 500 | 520 | 541 | 561 | 580 |
| K Standover | 730 | 749 | 770 | 790 | 812 | 831 |
| L Fork Length | 369 | 369 | 369 | 369 | 369 | 369 |

MA-AFO




| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|-------|-------|------|------|------|------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST Length | 390 | 430 | 450 | 490 | 510 | 530 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 989 | 999 |
| F HT angle | 70.25 | 71.25 | 72 | 73 | 73 | 73.5 |
| G ST angle | 74.5 | 74 | 74 | 73.5 | 73.5 | 73 |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 534 | 560 | 583 |
| K Standover | 691 | 719 | 741 | 772 | 794 | 814 |
| L Fork Length | 375 | 375 | 375 | 375 | 375 | 375 |

GA



| Frame size | XS | S | M | L | XL | 2XL |
|-----------------------|------|------|------|------|------|------|
| Height (cm) | 155 | 164 | 170 | 175 | 179 | 183 |
| | 167 | 174 | 180 | 185 | 191 | 195 |
| A ST length | 410 | 430 | 460 | 480 | 520 | 540 |
| B Effective TT | 508 | 522 | 536 | 551 | 567 | 582 |
| C HT length | 90 | 105 | 120 | 145 | 170 | 195 |
| D RC length | 425 | 425 | 425 | 425 | 425 | 425 |
| E Wheelbase | 1001 | 1003 | 1004 | 1020 | 1032 | 1048 |
| F HT angle | 69 | 70.5 | 72 | 72 | 72.5 | 72.5 |
| G ST angle | 74 | 74 | 74 | 74 | 74 | 74 |
| H BB drop | 75 | 75 | 75 | 73 | 73 | 73 |
| I Reach | 360 | 369 | 377 | 386 | 394 | 403 |
| J Stack | 515 | 534 | 520 | 541 | 561 | 625 |
| K Standover | 713 | 732 | 764 | 779 | 815 | 835 |
| L Fork length | 400 | 400 | 400 | 400 | 400 | 400 |

MA



| Frame size | 2XS | XS | S | M | L | XL |
|-----------------------|-------|-------|------|------|------|------|
| Height (cm) | 149 | 157 | 163 | 170 | 174 | 183 |
| | 157 | 165 | 173 | 182 | 185 | 192 |
| A ST Length | 390 | 430 | 450 | 490 | 510 | 530 |
| B Effective TT | 498 | 512 | 523 | 541 | 555 | 575 |
| C HT length | 85 | 94 | 110 | 124 | 149 | 171 |
| D RC length | 410 | 410 | 410 | 410 | 410 | 410 |
| E Wheelbase | 968 | 969 | 975 | 974 | 989 | 999 |
| F HT angle | 70.25 | 71.25 | 72 | 73 | 73 | 73.5 |
| G ST angle | 74.5 | 74 | 74 | 73.5 | 73.5 | 73 |
| H BB drop | 77 | 77 | 74.5 | 74.5 | 72 | 72 |
| I Reach | 361 | 367 | 374 | 381 | 389 | 397 |
| J Stack | 493 | 505 | 520 | 534 | 560 | 583 |
| K Standover | 691 | 719 | 741 | 772 | 794 | 814 |
| L Fork Length | 375 | 375 | 375 | 375 | 375 | 375 |



Complete bikes available now!



Find a retailer

2025 V2 | DESIGNED AND EDITED BY DARE BIKES

COPYRIGHT ©2025 DARE BIKES. ALL RIGHTS RESERVED.



DARE-BIKES.COM



@DAREBIKES